EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	557	(sector$1 with (read$3 or writ $3) with mount$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 19:58
L2	55	(sector$1 with (read$3 or writ $3) with mount$3) same (mount$3 with record$3 with sector$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 19:59
L3	0	(sector$1 with (read$3 or writ $3) with mount$3) same (mount$3 with record$3 with sector$1) same (data with record$3 with (second near2 sector$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:00
L4	26	(sector$1 with (read$3 or writ $3) with mount$3) same (mount$3 with record$3 with sector$1) same (data with record$3 with sector$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:00
L5	26	4 and (ad<"20060321" or @rlad<"20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:01
L6	24	4 and (@ad<"20060321" or @rlad<"20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:02
L7	0	6 and "707"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:05
L8	4	(sector$1 with (read$3 or writ $3) with mounting$1) same (mount$3 with record$3 with sector$1) same (data with record$3 with sector$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:08

L9	4	(sector$1 with (read$3 or writ $3) with mounting$1) same (mounting$1 with record$3 with sector$1) same (data with record$3 with sector$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:09
L10	4	9 and (@ad<"20060321" or @rlad<"20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:09
L11	0	(sector$1 with (read$3 or writ $3) with mount$3) same (mount$3 with record$3 with sector$1) same (data with record$3 with sector$1) same ("file allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:10
L12	2	(mount$3 with record$3 with sector$1) same (data with record$3 with sector$1) same ("file allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:10
L13	2	(mount$3 with record$3 with sector$1) same (data with record$3 with sector$1) same ("file allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:14
L14	0	(sector$1 with (read$3 or writ $3) with mounting$1) same (mounting$1 with record$3 with sector$1) same (data with record$3 with sector$1) same (file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:15
L15	1	(mounting$1 with record$3 with sector$1) same (data with record$3 with sector$1) same (file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:15
L16	712	(data with record$3 with sector$1) same (file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:16
L17	127	(data with record$3 with sector$1) same (file near2 system) same ("file allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:17

L18	558338	"127" and (ad< "20060321" or @rlad< "20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:17
L19	127	17 and (ad< "20060321" or @rlad< "20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:17
L20	1	mountings same (data with record$3 with sector$1) same (file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:19
L21	0	mountings same (data with record$3 with sector$1) same ("fat allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:20
L22	0	mountings same (data with record$3 with sector$1) same ("file allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:20
L23	312	(data with record$3 with sector$1) same ("file allocation table" or "FAT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:21
L24	20	((data with record$3 with sector$1) same ("file allocation table" or "FAT")) and mounting$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:21
L25	20	24 and (ad< "20060321" or @rlad< "20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:23
L26	17	24 and (@ad< "20060321" or @rlad< "20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:23

L27	51	((record$3 or writ$3) with (file near2 (id or identifier $1)) with sector$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:32
L28	0	((record$3 or writ$3) with (file near2 (id or identifier $1)) with sector$1) same mounting$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:32
L29	0	((record$3 or writ$3) with (file near2 (id or identifier $1)) with sector$1) same ("FAT" or "file allocation table")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:33
L30	0	((record$3 or writ$3) with mounting$1 with sector$1) same ("FAT" or "file allocation table")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:33
L31	3	((record$3 or writ$3) with mounting$1 with sector$1) and ("FAT" or "file allocation table")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:33
L32	3	31 and (ad<"20060321" or @rlad<"20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:33
L33	3	31 and (@ad<"20060321" or @rlad<"20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:33
L34	4	((record$3 or writ$3) with mounting$1 with (sector$1 or location$1)) and ("FAT" or "file allocation table")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:34
L35	741	((record$3 or writ$3) with mounting$1 with (sector$1 or location$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:35

L36	5	((record$3 or writ$3) with mounting$1 with (sector$1 or location$1)) same (file near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:35
L37	4	36 and (@ad<"20060321" or @rlad<"20040321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/25 20:35

9/25/2008 8:38:05 PM